

# MASTER LOCK SAFETY

SAFETY PADLOCKS

**LOCKOUT HASPS** 

**ELECTRICAL LOCKOUT** 

**VALVE LOCKOUT** 

**CABLE LOCKOUT & LOCK BOXES** 

**PADLOCK STATIONS & KITS** 

TAGS



### SAFETY LOCKOUT


#### WHAT IS LOCKOUT?

- Lockout/tagout is an important safety procedure that involves shutting off the power to industrial machines or equipment during maintenance or repair. This procedure protects employees from risks caused by power sources. Used properly in conjunction with a well-planned lockout process, the safety padlock helps ensure that employees will not inadvertently activate a piece of equipment while someone else is working on it.
- 1 employee 1 padlock 1 key, this means all employees carry a unique key and no one else's key can open another colleague's safety padlock.



#### SAFETY PADLOCK ORDERING PROCEDURES

#### Is your customer a Registered or Non Registered End User on the Master Lock Oracle Key Charting System?



Simply arrange for your end user to complete the "**MASTER LOCK KEY CHARTING REGISTRATION FORM**" and forward with your official purchase order to Mayo Hardware Pty Ltd. A unique ID number will be assigned to your end user and sent via email to the nominated email address (*Please keep end user ID number on record for re-ordering purpose*).

#### **Re-ordering for a Registered End User:**

Clearly identify on the purchase order the following information "**REGISTERED END USER**, **<<INSERT COMPANY NAME, END USER ID NUMBER**>>".

If you are placing an order for a Registered End User with an existing Master Key System, please include the Master Key Number on your order.


• For additional information please contact your Mayo Hardware representative.

### SAFETY LOCKOUT




#### **KEYING OPTIONS**

- Keyed To Differ (KD) Each lock is opened by its own unique key that does not open any other lock in the set. Keyed Different is the standard keying on all Master Lock Safety Padlocks.
- Keyed Alike (KA) This option provides the "same key" convenience and eliminates the need for multiple keys where numerous padlocks are used. Keyed Alike is ideal for situations where employees have more than one safety padlock.
- Master Keyed (MK) In a Master Keyed System, a master key opens all the locks in the system although each lock has its own unique key. This permits overriding master key systems along departmental or other functional lines, to allow supervisory access.



#### SAFETY LOCKOUT PADLOCK MAINTENANCE

- Over time, dust, particles and chemicals in the air settle on and in the padlock. They can create friction inside the precision locking and keying components and impede opening and closing of the padlock.
- Annual cleaning is recommended. In particularly dusty or corrosive environments clean every three months.
- Clean the padlock. Use pressurized air to blow out dust.
- Apply a greaseless "DRY" lubricant such as Selley's Eze-Glide.
- A very light spray of lubricant is recommended. Do not apply a heavy coat. Less is better. Insert key, open and close padlock several times to distribute lubricant. Wipe excess off key.
- NEVER use an oil or dry graphite lubricant. Oil attracts dust. Oil can also interfere with the movement of the pins in the locking mechanism. Graphite is often applied in excess, which then interferes with part movement. ONLY use a 'dry' lubricant for best results.
- Regular cleaning and lubrication of your safety padlock will ensure years of long life.



Average number of times opened per day	Dry Lubricant Application Schedule (Normal Environment)
1 to 50	Once per year
51 to 100	Twice per year



### SAFETY PADLOCKS

#### 0410 ZENEX<sup>™</sup> THERMOPLASTIC SAFETY PADLOCK



- Tough, lightweight, dielectric Zenex<sup>™</sup> body withstands chemicals and performs effectively in extreme conditions.
- 6mm plated metal shackle for corrosion resistance.
- Key-retaining ensures padlocks are not left unlocked.
- Includes write-on "Danger" and "Property of" labels in French, English and Spanish.
- Laser engrave on up to 4 sides.

ltem Code	Description	Carton Qty	Shackle Opening Height (mm)	Shackle Dia.(mm)
0410	Keyed Different	6	38mm	6mm
0410LT	Keyed Different – Extra Length Shackle	6	76mm	6mm
0410KA	Keyed Alike	6	38mm	6mm
0410KALT	Keyed Alike – Extra Length Shackle	6	76mm	6mm
0410MK	Keyed Different - Master Keyed	6	38mm	6mm
0410KAMK	Keyed Alike - Master Keyed	6	38mm	6mm

• Eight colour options for easy lockout identification. Add desired colour suffix:



Ø 6 mm

Ø4.76mm

-35 mm

#### S31 COMPACT ZENEX<sup>™</sup> THERMOPLASTIC SAFETY PADLOCK



S31

- Marine grade 316 stainless steel shackle provides superior corrosion resistance.
- 4.76mm shackle fits more applications.
- Durable padlock weighs just 76g, making it easy to carry more.
- Tough, lightweight, dielectric Zenex<sup>™</sup> body withstands chemicals and performs effectively in extreme conditions.
- Key-retaining ensures padlocks are not left unlocked. (non-key retaining model available by special order if required).
- Includes write-on "Danger" and "Property of" labels in French, English and Spanish.
- Laser engrave on up to 4 sides.
- Padlock supplied with a weather tough cover that seals at the shackle and keyway keeping out dust, dirt and grime.

ltem Code	Description	Carton Qty	Shackle Opening Height (mm)	Shackle Dia.(mm)
S31	Keyed Different	6	38mm	4.76mm
S31KA	Keyed Alike	6	38mm	4.76mm
S31MK	Master Keyed	6	38mm	4.76mm
S31KAMK	Keyed Alike – Master Keyed	6	38mm	4.76mm
S30COVERS	Weather Tough Cover For S31/ S32/ S33 - 72PK	-	-	-

• Nine colour options for easy lockout identification. Add desired colour suffix:

💽 mayohardware






#### 0406 ZENEX<sup>™</sup> THERMOPLASTIC SAFETY PADLOCK



- All components are non-magnetic plastic, copper and brass.
- Ideal for electrical lockout, confined spaces and mining.
- Tough, lightweight, dielectric Zenex<sup>™</sup> body withstands chemicals and performs effectively in extreme conditions.
- Nylon shackle withstands over 136kg pull.
- Key-retaining ensures padlocks are not left unlocked.
- Includes write-on "Danger" and "Property of" labels in French, English and Spanish.
- Laser engrave on up to 4 sides.

ltem Code	Description	Carton Qty	Shackle Opening Height (mm)	Shackle Dia.(mm)
0406	Keyed Different	6	38mm	6mm
0406KA	Keyed Alike	6	38mm	6mm
0406MK	Master Keyed	6	38mm	6mm
0406KAMK	Keyed Alike-Master Keyed	6	38mm	6mm



• Eight colour options for easy lockout identification. Add desired colour suffix:



#### S32 COMPACT ZENEX<sup>™</sup> THERMOPLASTIC SAFETY PADLOCK



- All components are non-conductive, non-magnetic, non-sparking plastic, copper or brass.
- 4.76mm shackle fits more applications.
- Tough, lightweight, dielectric Zenex<sup>™</sup> body withstands chemicals and performs effectively in extreme conditions.
- Key retaining ensures padlocks are not left unlocked.

RED ORJ YLW

- Padlock supplied with a weather tough cover that seals at the shackle and keyway keeping out dust, dirt and grime.
- Includes write-on "Danger" and "Property of" labels in French, English and Spanish.
- Laser engrave on up to 4 sides.

ltem Code	Description	Carton Qty	Shackle Opening Height (mm)	Shackle Dia.(mm)
S32	Keyed Different	6	38mm	4.76mm
S32KA	Keyed Alike	6	38mm	4.76mm
S32MK	Master Keyed	6	38mm	4.76mm
S32KAMK	Keyed Alike – Master Keyed	6	38mm	4.76mm
S30COVERS	Weather Tough Cover For S31/ S32/ S33 - 72PK	-	-	-

• Nine colour options for easy lockout identification. Add desired colour suffix:

∞ Available Q2 2012

NATIONAL CUSTOMER SERVICE: 1300 360 211

GRN BLU BLK PRP TEAL

Ø4.76mm

← 35 mm →



#### **ALUMINIUM SAFETY PADLOCKS**



6835

- Durable baked-on powder coated finish.
- Over 10,000 key changes available.
- Over 101,000 key changes available with optional cylinders.
- 40mm wide solid body construction stands up to physical abuse and provides excellent corrosion resistance.
- UV stable.
- 6mm diameter steel shackle with plated finish for corrosion resistance.
- Available key retaining or non-key retaining.
- Laser engrave on up to 4 sides.

ltem Code	Description	Carton Qty	Shackle Opening Height (mm)	Shackle Dia.(mm)
6835	Keyed Different	6	25mm	6mm
6835LF	Keyed Different - Extra Length Shackle	6	38mm	6mm
6835LT	Keyed Different - Extra Length Shackle	6	72mm	6mm
6835KA	Keyed Alike	6	25mm	6mm
6835LFKA	Keyed Alike - Extra Length Shackle	6	38mm	6mm
6835LTKA	Keyed Alike - Extra Length Shackle	6	72mm	6mm
6835MK	Master Keyed	6	25mm	6mm
6835LFMK	Master Keyed - Extra Length Shackle	6	38mm	6mm
6835LTMK	Master Keyed - Extra Length Shackle	6	72mm	6mm
6835KAMK	Keyed Alike - Master Keyed	6	25mm	6mm
6835LFKAMK	Keyed Alike - Master Keyed - Extra Length Shackle	6	38mm	6mm
6835LTKAMK	Keyed Alike - Master Keyed - Extra Length Shackle	6	72mm	6mm

Ø 6.35mm

• Six colour options. Add desired colour suffix:





#### **IDENTIFICATION LABELS**



 Identification labels allow you to permanently personalise the safety padlocks in your facility to make the user immediately recognisable.

ltem Code	Description	GTIN	Carton Qty
S142	Photo ID Labels For S31, S32, S33, 0406 & 0410 (6pk)	071649160356	-
6835-5700	Photo ID Labels For 6835 (6pk)	071469207730	-
T/LABEL	Traffolite Label For S31,S32,S33, 0406 & 0410	-	-



6835-5700



T/LABEL

#### LASER ENGRAVING



Prevent theft and wasted time searching for the right key or the assigned employee. You can permanently identify ownership and access rights on the padlocks themselves.

- Laser engraving permanently marks your lockout padlocks so that important information needed for your business is always visible.
- Mayo Hardware can laser engrave your Safety Lockout padlocks within 5 working days.
- Engrave your company name and logo to reduce padlock theft, key number to increase key selection speed or employee name to identify padlock owner.

ltem Code	Description
ENGSAF	Engraving Laser In-House – Safety Lockout

Note: For all engraving orders, please ensure a completed engraving form accompanies your purchase order. Contact your Mayo Hardware representative for more details.



### **PADLOCK ACCESSORIES & ID**

#### SAFETY LOCKOUT ACCESSORIES



- Chains keep padlocks close to equipment requiring safety lockout.
- Engravable brass tags provides for individual worker identification.
- Tags attach to safety lockout padlocks with shackle collars.

ltem Code	e Description		Carton Qty
0071CS	22.9cm long lightweight zinc plated steel chain: fits all Master Lock shackle collars (sold separately) (12pk)	071649510007	-
0071CH	22.9cm long heavy duty zinc plated steel chain: fits all Master Lock shackle collars (sold separately) (12pk)	071649510106	-
0071SC8	Shackle Collar. Fits 6.35 mm diameter shackles and smaller; for 410, 411, & 6835 safety padlocks	071649510304	-
0071SC9	Shackle Collar. Fits 7.1 mm diameter shackles and smaller; for 0003 safety padlocks	071649510403	-
0071TAG	1.3cm x 4.4cm brass tag with ring for attaching to shackle collars listed above	071649510908	-

#### LOCKOUT LEASH<sup>™</sup> LANYARD



- Lanyard for mounting padlock near lockout point.
- Customise length from 5cm to 91cm.
- Chains keep padlocks close to equipment requiring safety lockout.
- Engravable brass tags provides individual worker identification.
- Tags attach to safety lockout padlocks with shackle collars.

ltem Code	Description	Carton Qty
S100	Safety Lockout Leash™	-

S100



#### **SAFETY LOCKOUT HASPS**



- Attach hasp to energy disconnect switch.
- Keeps equipment inoperative while repairs or maintenance is being undertaken.
- Designed for multiple worker lockout.
- Multiple styles available to fit most needs including Spark Resistant Aluminium, Dielectric Plastic, Dual Jaw Aluminium and Stainless Steel.







0418

0419

0427

Incido Jaw

0429

Dadlack



S430



ltem Code	Description	GTIN	Qty	Diameter	Capacity
0416	Aluminium Hasp Lockout 25mm Diameter Jaws	071649216602	12	25mm	6
0417	Aluminium Hasp Lockout 38mm Diameter Jaws	071649216619	12	38mm	6
0418	Heavy Duty Steel Hasp Lockout	071649216626	12	25mm	4
0419	Heavy Duty Steel Hasp Lockout	071649217180	12	25mm	8
0420	Steel Hasp Lockout 25mm Diameter Jaws	071649442407	12	25mm	6
0421	Steel Hasp Lockout 38mm Diameter Jaws	071649613876	12	38mm	6
0427	Aluminium Snap On - Red	071649216787	6	44 x 54mm	5
0427YLW	Aluminium Snap On - Yellow	071649235955	6	44 x 54mm	5
0427GRN	Aluminium Snap On - Green <sup>△</sup>	071649235924	6	44 x 54mm	5
04270RJ	Aluminium Snap On - Orange <sup>△</sup>	071649235931	6	44 x 54mm	5
0427CLR	Aluminium Snap On - Silver <sup>△</sup>	071649235917	6	44 x 54mm	5
0427PRP	Aluminium Snap On - Purple <sup>△</sup>	071649235948	6	44 x 54mm	5
0428	Nylon Hasp Lockout	071649218293	12	25 x 63mm	6
0429	Dual Jaw Aluminium Hasp Lockout	071649218309	12	44 x 54mm	8
S430	4mm Shackle Hasp Lockout	3520190933232	12	25mm	2
S431	Stainless Steel Hasp Lockout	071649145650	12	25mm	8

S431

<sup>A</sup> Available via special order only



### **ELECTRICAL LOCKOUT**

#### **GRIP TIGHT™ CIRCUIT BREAKER LOCKOUT**



- Secure and simple mounting for a solid lockout. Grips tight with simple thumb turn and clamping handle.
- Exclusive design accommodate virtually all styles of breaker toggles.
- Narrow profile permits side-by-side breaker lockout.
- Compact devices are easy to carry and easy to store.
- Devices accept all Master Lock safety padlock shackle and lockout hasp diameters.
- Durable construction with powder coated steel and reinforced polymer allows operation in harsh environments.

ltem Code	Description	GTIN	Carton Qty
0491B	Grip Tight Circuit Breaker Lockout – Tall & Wide Toggles	071649229718	6
0493B	Grip Tight Circuit Breaker Lockout – Standard Single & Double Toggles	071649229725	6
0506	Set of each device – 1 x 0491B and 1 x 0493B	071649229732	6

#### MINIATURE CIRCUIT BREAKER LOCKOUT



- Effectively lockout miniature circuit breakers.
- The miniature circuit breakers are quick and easy to apply.
- Works with all Master Lock Safety padlocks and lockout hasps.



ltem Code	Description	GTIN	Carton Qty
S2390	Miniature Circuit Breaker Lockout <11mm	071649096136	144
S2391	Miniature Circuit Breaker Lockout 11mm-13mm	071649096297	144
S2392	Miniature Circuit With Pin-In Toggles	071649140877	144
S2393	Universal Miniature Circuit Breaker Lockout	071649140860	144
CBL-2	Circuit Breaker Lockout - Small	9316861179788	1

### **ELECTRICAL LOCKOUT**



#### **CIRCUIT BREAKER SWITCH PADLOCK**



- 0.5cm diameter cable shackle allows padlock to properly lock all types of circuit breaker lockout devices.
- Flexible cable allows the compact lock body to be positioned so that the control panel door closes properly.
- Fits the tight space constraints within circuit breaker shutoff boxes.
- Numerous key changes are available to minimise the possibility of unwanted key duplication.

ltem Code	Description	GTIN	Carton Qty
0007C5RED	Circuit Breaker Switch Padlock	071649213809	6

#### **UNIVERSAL WALL SWITCH LOCKOUT**



- Patent-pending design ensures switch is locked on or off.
- Hinges open for unobstructed normal operation of switch.
- Includes English/Spanish and English/French labels.





ltem Code	Description	GTIN	Carton Qty
0496B	Universal Wall Switch Lockout	071649225550	6



#### **ROTATING ELECTRICAL PLUG LOCKOUTS**



- Surrounds the electrical plug preventing accidental reconnection.
- Rotating design allows for easier installation in confined space applications.
- Tough, light-weight, dielectric Zenex<sup>™</sup> thermoplastic bodies withstand chemicals and perform effectively in extreme conditions (temperature range -46°C to + 177°C).
- Complete with high-visibility permanent safety labels (English, French and Spanish). Labels can be written-on to identify the responsible person, then erased for the next job.

ltem Code	Description	GTIN	Carton Qty	Dimensions
0487	Plug Lockout Small – 120 & 240 volt plugs	071649216794	6	10cm x 11cm x 7cm
0488	Plug Lockout Large — 240 & 250 volt plugs	071649216800	6	19cm x 13cm x 9cm

### **PUSH BUTTON & ROTARY SWITCH COVERS**



0488

S2151



S2153





(•) mayohardware

- S2151 includes one cover, one new install base and one retrofit base with double-sided adhesive tape.
- S2152AST pack of 12 new install bases allows one S2151 to service multiple switches.
- S2153 is fixed in place to ensure instant availability.
- Fits both 30.5mm and 22.5mm diameter switches.
- Clear base and cover allow visibility of nameplates and labels.
- Horseshoe-shaped retrofit base allows use with raised nameplates and off-centre installation to accommodate rotary switch knobs.
- Accommodates buttons up to 50mm diameter and 45mm tall.

ltem Code	Description	GTIN	Carton Qty
S2151	Removable Push Button Cover	071649170980	6
S2152AST	Pack of 12 Bases For S2151	071649170997	24
S2153	Fixed Push Button Cover	071649171000	6

### **ELECTRICAL LOCKOUT**



#### **OVERSIZED PLUG AND HOIST CONTROL COVERS**



ltem Code	Description	GTIN	Carton Qty	Dimensions
0453L	Large Nylon Oversized Plug & Control Lockout	071649225420	6	48.18cm x 16.51cm
0453XL	Extra Large Nylon Oversized Plug & Control Lockout	071649100543	6	66.04cm x 25.40cm
0453XXL	Extra Extra Large Nylon Oversized Plug & Control Lockout	071649100550	6	91.44cm x 35.56cm

### **PNEUMATIC LOCKOUTS**



- Prevents pneumatic fitting from being connected to pressurised air source.
- Fits virtually all male pneumatic fittings found in manufacturing facilities.
- Stainless steel construction for corrosion resistance.
- Works with all Master Lock Safety Padlocks and Lockout Hasps.

ltem Code	Description	GTIN	Carton Qty	Dimensions
S3900	Stainless Steel Pneumatic Lockouts	071649239649	6	3.5cm x 19.7cm x 0.3cm

NATIONAL CUSTOMER SERVICE: 1300 360 211 (9) mayohardware



### **VALVE LOCKOUTS**

#### **PRESSURISED GAS VALVE LOCKOUT**



- Surrounds the valve operating handle to protect against accidental valve opening.
- Design works with valve guard in place.
- Fits virtually all pressurised valves up to 7.6cm diameter.
- Compact size easily stored when not being used.
- Includes Danger labels in English, French and Spanish.

Item Code	Description	GTIN	Carton Qty
S3910	Pressurised Gas Valve Lockout	071649088612	6

#### HANDLE ON-SEAL TIGHT™ BALL VALVE LOCKOUT DEVICE





- Clamps tight on handle stop to prevent handle movement.
- Fits a wide range of ball valve sizes (6.35mm to 100mm).
- Works on insulated pipes and in close quarters.
- Durable aluminium and steel construction defies corrosive environments and temperatures up to 532°C.
- Lightweight and compact for easy carrying and storage.
- Includes Danger Labels in English, Czech, French, Spanish, Flemish/Dutch, German, Italian, Japanese, Mandarin Chinese, Polish and Portuguese.

ltem Code	Description	GTIN	Carton Qty
S3068	Seal Tight Handle-On Lockout	071649130021	6

### VALVE LOCKOUTS



#### HANDLE OFF-SEAL TIGHT<sup>™</sup> BALL VALVE LOCKOUT DEVICE





- Device encloses the valve stem, with the handle removed, to make accidental reactivation virtually impossible.
- Works in virtually all valve installations metal and PVC valves, insulated pipes, pipes mounted close to the wall or ceiling, and valves with tight access due to close proximity of other valves or pipes.
- Lightweight, flexible device is easily carried to the job and then folded for compact storage in safety toolboxes.
- Includes write-on labels in English, French & Spanish.
- Constructed of durable PVC polyester fabric and HDPE plastic. The Seal Tight Valve Lockout withstands corrosive environments and operates in temperature extremes from -40°C to 121°C.

ltem Code	Description	GTIN	Carton Qty
0468L	Seal Tight Handle-Off Lockout	071649229749	6

#### **ROTATING GATE VALVE LOCKOUTS**



- Tough lightweight, dielectric Zenex<sup>™</sup> thermoplastic bodies withstand chemicals; perform effectively in extreme conditions temperature range (-46°C to 177°C).
- Surrounds the valve operating handle to protect against accidental valve opening.
- Unique, rotating design allows for easier installation in confined space applications.
- Centre knockout can be removed for rising stem gate valves.
- Each size rotates into itself and nests within the next larger size to save space in storage.
- Multiple workers can apply their safety padlocks.
- Complete with high-visibility permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person, then erased for the next job.

ltem Code	Description	GTIN	Carton Qty
0480	Fits 25mm-76mm diameter valve handles	071649216732	6
0481	Fits 50mm-127mm diameter valve handles	071649216749	б
0482	Fits 101mm-165mm diameter valve handles	071649216756	6
0483	Fits 152mm-254mm diameter valve handles	071649216763	6
0484	Fits 203mm-330mm diameter valve handles	071649216770	6
0485	Set Of 5 (0480-0484)	071649218668	1

NATIONAL CUSTOMER SERVICE: 1300 360 211



#### **BALL VALVE LOCKOUT DEVICES**



S3476



S3477

- Heat resistant powder coated steel body.
- 2 sizes to fit most valves.
- Easy to use, single piece design locks ball valves in the OFF position.
- Compact size easily stored when not being used.
- Two rows of lockout points for more accuracy.

Item Code	Description	GTIN	Carton Qty
S3476	Handle On Steel – Fits 6mm – 25mm	3520190933256	6
S3477	Handle On Steel – Fits 32mm – 76mm	3520190933263	6

### **CABLE LOCKOUTS & LOCK BOXES**

#### CABLE LOCKOUTS



() mayohardware

- Integrated safety hasp and cable is ideal for multiple circuit breaker panel and side-by-side gate valve lockouts.
- Tough lightweight thermoplastic body withstands chemicals and performs effectively in extreme conditions (-47°C to +149°C).
- Tough, flexible multi-stranded steel cable is insulated with a clear plastic coating.
- Feed the cable through the points to be locked out, and then back through the lockout body. Cinch it tight to remove any slack with the patented locking feature.

ltem Code	Description	GTIN	Carton Qty
S806	Adjustable Cable Lockout 1.8m x 4mm	3520190934970	6
S806CBL15	Adjustable Cable Lockout 4.5m x 4mm	071649147715	6

16



#### LATCH TIGHT<sup>™</sup> GROUP LOCK BOXES



ltem Code	Description	GTIN	Carton Qty	Dimensions
0498A	Portable Group Lock Box	071649218415	1	152mm x 235mm x 95mm
0503RED	Group Lock Box – Red	071649227745	1	324mm x 89mm x 162mm
0503YLW	Group Lock Box - Yellow	071649227752	1	324mm x 89mm x 162mm

# **PERMIT / DOCUMENT HOLDER**

#### PERMIT HOLDER



- Heavy duty PVC is strong and durable.
- Velcro top ensures water, dirt and grime is kept out.
- Reflective strap on both sides.
- Eyelets to hang from machinery.
- Ideal for storing permits and isolation documents.
- Apply safety padlock to lock permit and key inside.

ltem Code	Description	GTIN	Carton Qty	Internal Storage Area (H x L)
PH1	Permit Document Holder - Yellow	9316861183136	100	355mm x 225mm



### **STEERING WHEEL COVERS**

#### STEERING WHEEL COVERS



- Three sizes available for various wheel diameters 46.6cm, 50.8cm and 61cm.
- Trilingual warning notifies employees not to start or move vehicle.
- Lock in place with a 0421 haps and safety padlock.
- For added security, use a Master Lock Safety Series S806 lockout cable around steering wheel and foot pedals.

ltem Code	Description	GTIN	Carton Qty
4716	46.6cm Diameter Steering Wheel Cover	071649225291	6
4720	50.8cm Diameter Steering Wheel Cover	071649225307	6
4724	61cm Diameter Steering Wheel Cover	071649225314	6

4724



4720



### LOCKOUT KITS

### MINI LOCKOUT POUCHES



- Mini safety pouch holds up to 6 padlocks.
- Clear PVC anti-cracking window ideal for identification tag.
- Velcro closure with quick release buckle.
- Two standard kits available, or ask your Mayo Hardware representative to "Build Your Own Kit".

SAFETYPOUCH



**KEYCHAIN** 

Carton Item Code Description Qty **PEK406** Contains: 1 x 0406 Padlock, 1 x 0420 Hasp, 1 x S2390 & 1 x S2391 Miniature Circuit Breaker 1 Lockouts, 1 x 0491B & 1 x 0493B Grip Tight Circuit Breaker Lockouts, 1 x 0497A (12/pack) Do Not Operate Tags and 1 x KEYCHAIN Retractable Key Chain Contains: 2 x 0406 Padlocks Keyed Alike, 2 x 0420 Hasp, 1 x 0491B & 1 x 0493B Grip Tight Circuit PTK406REDKA2 1 Breaker Lockouts, 2 x S2391 Miniature Circuit Breaker Lockouts and 1 x S2393 Universal Circuit Breaker Lockout. SAFETYPOUCH Safety Padlock Pouch (Unfilled) 1 S1010 Compact Lockout Pouch (Unfilled) 1 **KEYCHAIN** Retractable Key Chain 1

∞ Available 02 2012

### LOCKOUT KITS



#### **ELECTRICAL LOCKOUT KIT**



KITELEC



DISPLELEC

- Ideal lockout kit for personal use by electricians.
- Each kit contains a variety of electrical circuit breaker lockouts, hasps, danger tags and 2 keyed alike non-conductive safety padlocks.
- Increase safety lockout visibility in-store with effective blister packaging.
- Drive sales of safety lockout accessories with personal pouches.
- COUNTER TOP DISPLAY AVAILABLE FREE OF CHARGE WITH EVERY 24 **KITS PURCHASED. \*** 
  - \* Limited to one display per store and only available while stocks last.

ltem Code	Description	GTIN	Carton Qty
KITELEC	Electrical Kit – Blister Pack	3520190935083	8
1456	Zippered Lockout Pouch – Unfilled	071649219153	1
DSPLELEC*	Counter Top Display	-	1

#### PERSONAL LOCKOUT POUCHES



- Zippered pouch is easy to carry or wear with adjustable waist strap.
- Two standard kits available, one designed with an electrical focus, the other for general maintenance, or ask your Mayo Hardware representative to "Build Your Own Kit".

1456P410KA

ltem Code 410 Red Zenex™ Padlock(s)	Description	Carton Qty
1456E410	<b>Electrical Lockout Focus.</b> Contains: 1 x Padlock, 1 x 0007C5RED Breaker Switch Padlock, 1 x 0420 Hasp, 2 x 0493B Circuit Breaker Lockouts, 1 x 0491B Circuit Breaker Lockout and 1 x 0497A (12/pack) Do Not Operate tags	1
1456P410KA	<b>Padlocks &amp; Tags</b> . Contains: 3 x Padlocks Keyed Alike, 1 x 0420 Hasp and 1 x 0497A (12/pack) Do Not Operate tags	1

NATIONAL CUSTOMER SERVICE: 1300 360 211



### LOCKOUT KITS

#### **PERSONAL LOCKOUT KITS**



1457E410KA

- Safety lockout carrying case keeps lockout devices and padlocks together.
- Kits include high-use components, satisfying most lockout applications.
- Personal kits are for an individual worker; padlocks are supplied keyed-alike for added worker convenience.
- Three standard kits available, one designed with an electrical focus, one with a valve focus and one combining both electrical and valve lockout devices or ask your Mayo Hardware representative to "Build Your Own Kit".



Item Code 410 Red Zenex™ Padlock(s)	Description	Carton Qty
1457E410KA	<b>Electrical Lockout Focus.</b> Contains: 3 x Padlocks, 1 x 0007C5RED Breaker Switch Padlock, 1 x 0420 Hasp, 1 x 0427 Hasp, 3 x 0493B Circuit Breaker Lockouts, 2 x 0491B Circuit Breaker Lockout, 1 x 0496B Universal Wall Switch Lockout and 1 x 0497A (12/pack) Do Not Operate tags	1
1457V410KA	<b>Valve Lockout Focus.</b> Contains: 3 x Padlocks, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x S806 Adjustable Cable Lockout, 1 x 0480, 1 x 0481 & 1 x 0482 Gate Valve Lockout, 1 x 0468L and 1 x S3068 Ball Valve Lockouts and 1 x 0497A (12/pack) Do Not Operate tags	1
1457VE410KA	<b>Electrical &amp; Valve Lockout Focus.</b> Contains: 3 x Padlocks, 1 x 0007C5RED Breaker Switch Padlock, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x S806 Adjustable Cable Lockout, 1 x 0480, 1 x 0481 & 1 x 0482 Gate Valve Lockout, 1 x 0468L and 1 x S3068 Ball Valve Lockouts 3 x 0493B Circuit Breaker Lockouts, 2 x 0491B Circuit Breaker Lockout, 1 x 0496B Universal Wall Switch Lockout and 1 x 0497A (12/pack) Do Not Operate tags	1

### LOCKOUT KITS



#### **GROUP LOCKOUT KITS**



1458E410

- Lightweight safety lockout carrying case (38.1cm x 24.1cm x 17.8cm) with modular, translucent storage compartments for improved organisation and fast component selection.
- Separate compartments for effective grouping of (1) padlocks & hasps, (2) valve lockouts and (3) electrical lockout components.
- Group kits are for multiple workers; padlocks are supplied keyed-different to ensure that no employee can open a colleague's padlock.
- Three kits available, one designed with an electrical focus, one with a valve focus and one combining both electrical and valve lockout devices.



1458V410

1458VE410

ltem Code		Carton
410 Red Zenex™ Padlock(s)	Description	
1458E410	<b>Electrical Lockout Focus.</b> Contains: 6 x Padlocks, 2 x 0007C5RED Breaker Switch Padlock, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x 5806 Adjustable Cable Lockout, 1 x 0487 & 1x 0488 Plug Lockouts, 4 x 0493B Circuit Breaker Lockouts, 2 x 0491B Circuit Breaker Lockout, 2 x 0496B Universal Wall Switch Lockout and 2 x 0497A (12/pack) Do Not Operate tags	1
1458V410	<b>Valve Lockout Focus.</b> Contains: 6 x Padlocks, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x 5806 Adjustable Cable Lockout, 1 x 0480, 1 x 0481, 1 x 0482 & 1 x 0483 Gate Valve Lockout, 1 x 0468L and 1 x 53068 Ball Valve Lockouts and 2 x 0497A (12/pack) Do Not Operate tags	1
1458VE410	<b>Electrical &amp; Valve Lockout Focus.</b> Contains: 6 x Padlocks, 2 x 0007C5RED Breaker Switch Padlock, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x S806 Adjustable Cable Lockout, 1 x 0487 & 1 x 0488 Plug Lockouts, 1 x 0480, 1 x 0481 & 1 x 0482 Gate Valve Lockout, 1 x 0468L and 1 x S3068 Ball Valve Lockouts 6 x 0493B Circuit Breaker Lockouts, 3 x 0491B Circuit Breaker Lockout, 2 x 0496B Universal Wall Switch Lockout and 2 x 0497A (12/pack) Do Not Operate tags	1



### **PADLOCK STATIONS**

#### PADLOCK STATIONS



1484BP410

- Integrated, one-piece moulded construction eliminates loose parts.
- Resilient polycarbonate material provides twice the heat resistance and quadruple the impact strength of typical stations.
- Exclusive translucent cover protects contents.
- Lockable to prevent loss of valuable safety lockout padlocks.
- Secure with a combination lock for simple access control (sold separately).
- Innovative hinge holds cover open for easy product selection.
- Safety hasps and tags included.



1482BP410



1483BP410

ltem Code			Carton
With Accessories	Without Accessories	Description	Qty
1482BP410	1482B	4 Lock Station. Contains 4 x Padlock, 2 x Lockout Hasps, 12 x Do Not Operate Danger Tags (1pk)	1
1483BP410	1483B	10 Lock Station. Contains 10 x Padlock, 2 x Lockout Hasps, 24 x Do Not Operate Danger Tags (2pk)	1
1484BP410	1484B	20 Lock Station. Contains 20 x Padlock, 4 x Lockout Hasps, 48 x Do Not Operate Danger Tags (4pk)	1

# HEAVY DUTY PADLOCK RACKS



S1506

- Heavy gauge steel with durable powder coated finish ensuring long life.
- Includes labels in English, Spanish/English and French/English.


ltem Code	Description	GTIN	Carton Qty
S1506	Heavy Duty Padlock Rack – 6 Padlocks	071649239670	1
S1518	Heavy Duty Padlock Rack – 18 Padlocks	071649239687	1



S1518



#### **DELUXE LOCKOUT STATIONS**



- Durable construction ensures long life in your facility.
- Covered compartments protect devices and keep dust and grime out.
- Upper and lower sections lockable to ensure devices are there when needed for lockout. Add a combination lock for simple access control.
- 16 hanger clips hold 2 padlocks or lockout hasps each.
- Moveable dividers in top and bottom trays help organise devices.
- Holes provided along the bottom for optional peg hook hangers, use to hang large, bulky devices. Lockout kits combine and organise commonly used electrical and valve lockout devices.

S1900VE410

ltem Code			Carton
With Accessories	Without Accessories	Description	
S1900VE410	S1900	Contains: 6 x 0410 Padlocks, 2 x 0420 Hasp, 1 x 0427 Hasp, 1 x S806 Adjustable Cable Lockout, 1 x 0488 Plug Lockout, 1 x 0480, 1 x 0481, 1 x 0482 & 1 x 0483 Gate Valve Lockout, 1 x 0468L and 1 x S3068 Ball Valve Lockouts 6 x 0493B Circuit Breaker Lockouts, 2 x 0491B Circuit Breaker Lockout, 2 x 0496B Universal Wall Switch Lockout and 2 x 0497A (12/pack) Do Not Operate tags.	1

#### LOCKOUT STATIONS



S1850E410



- Durable construction ensures long life in your facility.
- Covered compartments protect devices and keep dust and grime out.
- Upper and lower sections lockable to ensure devices are there when needed for lockout. Add a combination lock for simple access control.
- 16 hanger clips hold 2 padlocks or lockout hasps each.
- Moveable dividers in top and bottom trays help organise devices.
- Holes provided along the bottom for optional peg hook hangers, use to hang large, bulky devices. Lockout kits combine and organise commonly used electrical and valve lockout devices.

S1850V410	
-----------	--


lten	n Code		Carton	
With Accessories	Without Accessories	Description		
S1850E410	S1850	Contains: 6 x 0410 Padlocks, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x 0488 Plug Lockout, 4 x 0493B Circuit Breaker Lockouts, 2 x 0491B Circuit Breaker Lockout, 2 x 0496B Universal Wall Switch Lockout and 2 x 0497A (12/pack) Do Not Operate tags.	1	
S1850V410	S1850	Contains: 6 x 0410 Padlocks, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x 8611 Adjustable Cable Lockout, 1 x 0488 Plug Lockout, 1 x 0480, 1 x 0481 & 1 x 0482 Gate Valve Lockout, 1 x 0468L and 1 x S3068 Ball Valve Lockouts and 2 x 0497A (12/pack) Do Not Operate tags.	1	

NATIONAL CUSTOMER SERVICE: 1300 360 211



### LOCKOUT STATIONS

#### **COMPACT LOCKOUT STATIONS**



S1705P410

S1720E410

- Compact lockout station holds machine specific lockout devices and padlocks near lockout point.
- Four hanger clips for safety padlocks or hasps.
- Includes face labels in English, Spanish/English, or French/English.
- Available filled or unfilled.
- Measures 24.8cm x 19.7cm x 8.6cm.





S1745E410

ltem Code			
With Accessories	Without Accessories	Description	
S1705P410	S1700	Contains: 1 x 0410 Padlocks, 1 x 0421 Hasp, and 1 x 0497A (12/pack) Do Not Operate tags.	1
S1720E410	S1700	Contains: 2 x 0410 Padlocks, 2 x 0420 Hasp, 2 x 0491B & 2 x 0493B Circuit Breaker Lockouts and 1 x 0497A (12/pack) Do Not Operate tags.	1
S1745E410	S1700	Contains: 1 x 0410 Padlocks, 1 x 0488 Plug Lockout and 1 x 0497A (12/pack) Do Not Operate tags.	1

S1700

### **COMPLIANCE CENTRES**




#### **COMPLIANCE CENTRES**











S315 & S330 Covers & Spines


- Compliance centres offer zippered storage that keeps important papers in while keeping dust and dirt out.
- Use for Material Safety Data Sheets, Lockout Procedures, Right-To-Know, Isolation procedures and many more.
- Front window allows you to customise to your needs.
- Available with or without wall mounting.

ltem Code	Description	GTIN	Carton Qty
S315	One 3.8cm binder with wall bracket/sign	-	1
S316	One 3.8cm binder (no wall bracket/sign)	071649242083	1
S330	One 7.6cm binder with wall bracket/sign	-	1
S331	One 7.6cm binder (no wall bracket/sign)	071649242113	1
S300	Compliance Centre Bracket	071649242069	1



### GUARDIAN EXTREME™ TAGS

- Made from rugged industrial grade polypropylene extreme tags are designed to withstand the most demanding conditions.
- Tags withstand over 30 chemicals and resist UV radiation, grease, oil, humidity and frequent wash downs.
- Tags can be written on and erased.
- 6 tags per bag.
- Ideal for food processing, mining, oil & gas and chemical plants.
- Custom tags available (minimum order quantities apply).



NATIONAL CUSTOMER SERVICE: 1300 360 211

💽 mayohardware



#### GUARDIAN EXTREME™ SCAFFOLD TAGS



Scaffolding tags prevent against hazardous risks relative to the untimely use of a scaffold that is being erected, dismounted or maintained.

- Ideal for outdoor use.
- Resistance to wash downs, humidity, snow, oil, chemicals, extreme temperatures and UV radiation.
- Graphics fused into rugged industrial-grade polypropylene .
- Easy to read in any conditions with long lasting performance.
- Highly identifiable and visible tags: Red, Yellow and Green.

ltem Code	Description	GTIN	Carton Qty	Dimensions
S4700	Scafftag Danger - Red	071649125669	1	228mm x 76mm x 2mm
S4701	Scafftag Caution - Yellow	071649125768	1	228mm x 76mm x 2mm
S4702	1702 Scafftag OK- Green		1	228mm x 76mm x 2mm

#### DO NOT OPERATE SAFETY TAGS



- Durable polyester laminate resists water, grease and extreme temperatures.
- Heavy duty construction withstands over 22.7kg of pull force.
- Customize with name, department, expected completion time.
- 12 tags with ties per pack.

ltem Code	Description	GTIN	Carton Qty
0497A	Do Not Operate Danger Tags(12pk)	071649218408	1



#### **COMPACT TAG STATIONS**



- Three hanger clips for safety padlocks or hasps.
- Includes face labels in English, Spanish/English and French/English.

ltem Code	Description	GTIN	Carton Qty	Dimensions
S1601	Tag Station (unfilled)	071649239656	1	9.7cm x 14.6cm x 3.8cm
S1601A	Tag Station with 12 English Tags	-	1	9.7cm x 14.6cm x 3.8cm

#### **DELUXE TAG CENTRE**



🕐 mayohardware

- Two tip-out drawers with dividers to create 2,3,4,5, or 6 compartments.
- Each compartment holds 25 tags, 150 tag capacity.
- Compartments can also be used for lockout devices.
- Eight hanger clips along bottom for safety padlocks or hasps.
- Upper tray for cable ties and small lockout devices.
- Durable construction for years of use in corrosive environments.
- Lockable. Use combination padlock to limit access to unauthorised employees.
- Also suitable for ear plugs and eyewear.

ltem Code	Description	GTIN	Carton Qty	Dimensions
S1800	Tag Centre (unfilled)	071649080579	1	27.9cm x 55.9cm 10.5cm